

	Application No.	Applicant(s)
Notice of Allowability	10/079,260	ABROSIMOV ET AL.
	Examiner	Art Unit
	Cicely Ware	2634
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>amendment filed on 1/23/2006</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-22</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have been received.  2.  Certified copies of the priority documents have been received in Application No.  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1)  hereto or 2)  to Paper No./Mail Date  (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material  .	6. Interview Summary Paper No./Mail Da 708), 7. Examiner's Amend	te

Application/Control Number: 10/079,260 Page 2

Art Unit: 2634

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance: The following 1. is a statement of reasons for the indication of allowable subject matter: The instant application discloses a coding device for encoding data. Prior art references show similar methods but fail to teach: "wherein the receiver takes multiple samples during each clock period to track the dynamic variation in the temporal or amplitude thresholds of the data to improve the overall coding efficiency", as in claims 1, 15, 16, 21; "a code table created to introduce a DC balanced signal and containing two parts of codes, one part for coding symbols with negative current disparity, and another part for coding symbols with positive current disparity. the table being such that: each input symbol corresponds to two codes. one code being from the first part of the table and the second code being from the second part; codes presented in both parts of the table shall be assigned to the same input symbol; within each code presented in the part of the table for negative current disparity, the sum of "1"s is equal to 8 or 9; within each code presented in the part of the table for positive current disparity, the sum of "1"s is equal to 7 or 8; the current disparity is negative when the previous code has 9 or 8 "1"s; and the previous state of disparity was negative", as in claim 18; "the samples taken by the receiver are spread in time around a regular sampling clock that enables the dynamic shift in the received data to be tracked by matching shifts in the sampling clock or inverse shifts in delay circuitry within the receiver", as in claim 22.

Application/Control Number: 10/079,260

Art Unit: 2634

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cicely Ware whose telephone number is 571-272-3047. The examiner can normally be reached on Monday – Friday, 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Cicely Ware

cqw March 28, 2006

> KHAITAAN PRIMARY EXAMMER